



Burlington, WA Corporate Laboratory (a)
 1620 S Walnut St - Burlington, WA 98233 - 800.755.9295 • 360.757.1400
Bellingham, WA Microbiology (b)
 805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR Microbiology/Chemistry (c)
 9150 SW Pioneer Ct Ste W - Wilsonville, OR 97070 - 503.682.7802
Corvallis, OR Microbiology/Chemistry (d)
 540 SW Third Street - Corvallis, OR 97333 - 541.753.4946
Bend, OR Microbiology (e)
 20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

Data Report

Client Name: Fluid Technology Solutions, Inc.
 2482 Ferry Street SW
 Albany, OR 97322

Reference Number: **17-37875**
 Project: Retail and NaCl Products

Report Date: 1/3/18

Date Received: 12/21/17

Approved by: spm

Authorized by:

Sarah P Miller
 Lab Manager, Corvallis

Sample Description: Prep - Bacterial Suspension Preparation	Sample Date: 12/18/17 10:00 am
Lab Number: 81712 Sample Comment:	Collected By: FTS

CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment
	Sample Preparation	DONE				1.0	Edge	1/3/18	JMC	DSUREQT_171225		

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor

If you have any questions concerning this report contact us at the above phone number.

Data Report

Sample Description: Conf 1 - Bacterial Suspension Enumeration							Sample Date: 12/21/17 4:45 pm					
Lab Number: 81713			Sample Comment:				Collected By: FTS					
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

	TOTAL COLIFORM	>24190000	100000		MPN/100mL	100000	SM9223 B.2.b/Collert-18	d	12/22/17	kdf	DlertQT_171221	
--	-----------------------	-----------	--------	--	-----------	--------	----------------------------	---	----------	-----	----------------	--

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor

Data Report

Sample Description: Conf 2 - Bacterial Suspension Enumeration							Sample Date: 12/21/17 12:00 am					
Lab Number: 81714			Sample Comment:				Collected By: FTS					
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

	TOTAL COLIFORM	>24190000	100000		MPN/100mL	100000	SM9223 B.2.b/Colilert-18	d	12/29/17	jmc	DlertQT_171228	
--	-----------------------	-----------	--------	--	-----------	--------	-----------------------------	---	----------	-----	----------------	--

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor

Data Report

Sample Description: Prep/disposal - Challenge Water Preparation and Cleanup							Sample Date: 12/21/17 12:00 am					
Lab Number: 81715			Sample Comment:				Collected By: FTS					
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

Sample Preparation

DONE

1.0 Edge

1/3/18 JMC DSUREQT_171225

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor



Burlington, WA Corporate Laboratory (a)
1620 S Walnut St - Burlington, WA 98233 - 800.755.9295 • 360.757.1400

Bellingham, WA Microbiology (b)
805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR Microbiology/Chemistry (c)
9150 SW Pioneer Ct Ste W - Wilsonville, OR 97070 - 503.682.7802

Corvallis, OR Microbiology/Chemistry (d)
540 SW Third Street - Corvallis, OR 97333 - 541.753.4946

Bend, OR Microbiology (e)
20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

Data Report

Client Name: Fluid Technology Solutions, Inc.
2482 Ferry Street SW
Albany, OR 97322

Reference Number: **17-37875**
Project: Retail and NaCl Products

Report Date: 1/3/18

Date Received: 12/21/17

Approved by: rap,spm

Authorized by:

Sarah P Miller
Lab Manager, Corvallis

Sample Description: Retail Products: Bucket 1 Challenge Water Enumeration										Sample Date: 12/21/17 12:00 am		
Lab Number: 81716		Sample Comment:								Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	15800000	100000			MPN/100mL	100000	SM9223 B.2.b/Colilert-18	d	12/30/17	SPM	DsureQT_171229A	
-----------------------	----------	--------	--	--	-----------	--------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:RainstickA Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81718		Sample Comment:								Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:RainstickA Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81719		Sample Comment:								Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:RainstickB Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81720		Sample Comment:								Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:RainstickB Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81721		Sample Comment:								Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
D.F. - Dilution Factor

If you have any questions concerning this report contact us at the above phone number.

Data Report

Sample Description: Retail Product:RainstickC Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81722		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:RainstickC Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81723		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerA Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81730		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerA Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81731		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229B	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerB Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81732		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerB Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81733		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerC Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81734		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail Product:MarinerC Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81735		Sample Comment:							Collected By: FTS			
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor

Data Report

Sample Description: Retail: WaterDrop A Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81742					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail: WaterDrop A Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81743					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail: WaterDrop B Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81744					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail: WaterDrop B Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81745					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail: WaterDrop C Pouch Contents Enumeration, undiluted										Sample Date: 12/21/17 12:00 am		
Lab Number: 81746					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<1	1			MPN/100mL	1.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	----	---	--	--	-----------	-----	-----------------------------	---	----------	-----	-----------------	--

Sample Description: Retail: WaterDrop C Pouch Contents Enumeration, 1:100										Sample Date: 12/21/17 12:00 am		
Lab Number: 81747					Sample Comment:					Collected By: FTS		
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment

TOTAL COLIFORM	<100	100			MPN/100mL	100.0	SM9223 B.2.b/Colilert-18	d	12/31/17	JMC	DsureQT_171229C	
-----------------------	------	-----	--	--	-----------	-------	-----------------------------	---	----------	-----	-----------------	--

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor